

Date: Monday, 6/5/2006 11:01:10 AM
 User: Kim Johnston

Process Sheet

| | | | |
|-----------------------|---|------------------|---------------|
| Customer | : CU-DAR001 Dart Helicopters Services | Drawing Name | : STRUT |
| Job Number | : 27409 | | |
| Estimate Number | : 10285 | | |
| P.O. Number | : N/A | Part Number | : D2565111 |
| This Issue | : 6/5/2006 | S.O. No. | : N/A |
| Prsht Rev. | : NC | Drawing Number | : D2565 REV E |
| First Issue | : N/A | Project Number | : N/A |
| Previous Run | : 26448 | Drawing Revision | : E |
| | Type : SMALL /MED FAB | Material | : N/A |
| Written By | : <i>SEE COMMENT BELOW</i> | Due Date | : 6/16/2006 |
| Checked & Approved By | : <i>FF 06-06-05</i> | Qty: | 10 Um: Each |
| Comment | Est: E 01.06.04 Added Powder Coat, Removed Polish, and Added Inspection Levels 3 & 21 EC Est: E 06.05.03 Change level 2/8 to QC5 EC | | |

Additional Product

Job Number:



| | | |
|---------|-----------------------|---------------|
| Seq. #: | Machine Or Operation: | Description : |
|---------|-----------------------|---------------|

| | | |
|-----|----------------|--------------------------|
| 1.0 | M304TR0750W049 | 304 RD Tube .750 x .049W |
|-----|----------------|--------------------------|



Comment: Qty.: 1.1944 f(s)/Unit Total: 11.9438 f(s)
 Material: 304/316 SS tubing 0.750" Dia. x 0.049" wall
 (M304TR0750W049)

Batch No: *M100599 K7 / M101112 x 3 FF 06.06.07* 10

| | | |
|-----|----------|----------|
| 2.0 | BRAKE NC | NC BRAKE |
|-----|----------|----------|



Comment: BRAKE NC
 Punch as per Dwg D2565 using DT 8313

FF 06-06-07 10

| | | |
|-----|-------------|-------------------------------|
| 3.0 | SMALL FAB 1 | SMALL & MEDIUM FAB RESOURCE 1 |
|-----|-------------|-------------------------------|



Comment: SMALL & MEDIUM FAB RESOURCE 1
 Deburr and polish

m.f. 06-06-14 10

| | | |
|-----|-----|------------------------------|
| 4.0 | QC5 | INSPECT WORK TO CURRENT STEP |
|-----|-----|------------------------------|



Comment: INSPECT WORK TO CURRENT STEP

SB 06/06/19 10

| | | |
|-----|----------------|----------------|
| 5.0 | POWDER COATING | POWDER COATING |
|-----|----------------|----------------|



Comment: POWDER COATING
 Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3

DL 06/06/21 10

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|---------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Mfg / Design Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|----------------------------------|----------------|---------------------------|------------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Design Mgr | Approval QC Inspector |
| | | | Initial Design Mgr | Action Description Design Mgr | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes ☐ No ☒ DQA: LS Date: 06/06/07

NOTE: Date & initial all entries

QA: N/C Closed: _____ Date: _____

Date: Monday, 6/5/2006 11:01:10 AM
User: Kim Johnston

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: STRUT

Job Number: 27409

Part Number: D2565111

Job Number:



Seq. #:

Machine Or Operation:

Description :

6.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT

AL 06/06/26

(10)

7.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location:

ST185

AL 06/06/26

(10)

8.0

DC

DOCUMENT CONTROL



Comment: DOCUMENT CONTROL

Inspection Level 21

DP 06/06/27

(10)

Job Completion



U 06/06/26

| W/O: | | WORK ORDER CHANGES | | | | | |
|------|------|--------------------|----|------|-----|---------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE | By | Date | Qty | Approval Mfg / Design Mgr | Approval QC Inspector |
| | | | | | | | |
| | | | | | | | |

| NCR: | | WORK ORDER NON-CONFORMANCE (NCR) | | | | | | |
|------|------|----------------------------------|-----------------------------|----------------------------------|----------------|---------------------------|------------------------|--------------------------|
| DATE | STEP | Description of NC Section A | Corrective Action Section B | | | Verification Section C | Approval Design Mgr | Approval QC Inspector |
| | | | Initial Design Mgr | Action Description Design Mgr | Sign & Date | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

NOTE: Date & initial all entries

QA: N/C Closed: _____ Date: _____

DART

| | | | |
|------------------|----------|--|------------------------|
| DESIGN | DRAWN BY | DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA | |
| CHECKED | APPROVED | DRAWING NO. D2565 | REV. E SHEET 1 OF 1 |
| DATE 04.05.05 | | TITLE STRUT | SCALE 1:3 |
| A | 96.05.03 | NEW ISSUE | |
| B | 97.03.15 | CORRECT D2565-111 DIM. A | |
| C | 98.10.05 | UPDATED MATERIAL NOTE (TSR A603) | |
| D | 02.06.05 | ADD -3XX PARTS; ADD FINISH | |
| E | 04.05.05 | ADD D2565-401-411; RMV ANGLE D | |

RELEASED
04.05.05 

DIA 0.257 TO BE PUNCHED
"C" DIA TO BE OPENED MANUALLY

PUNCH ENDS PER SPEC CONTROL DRAWING D2638

| PART # | A | B | DIA C |
|-----------|-------|-------|-------|
| D2565-101 | 20.52 | 19.72 | 0.316 |
| D2565-103 | 18.21 | 17.41 | 0.316 |
| D2565-105 | 20.19 | 19.39 | 0.316 |
| D2565-107 | 13.43 | 12.63 | - |
| D2565-109 | 12.31 | 11.51 | - |
| D2565-111 | 13.65 | 12.85 | - |
| D2565-201 | 22.79 | 22.00 | 0.316 |
| D2565-203 | 20.75 | 19.95 | 0.316 |
| D2565-205 | 21.22 | 20.42 | 0.316 |
| D2565-207 | 16.07 | 15.27 | - |
| D2565-209 | 15.16 | 14.36 | - |
| D2565-211 | 14.14 | 13.34 | - |
| D2565-301 | 27.03 | 26.23 | 0.316 |
| D2565-303 | 25.34 | 24.54 | 0.316 |
| D2565-305 | 23.73 | 22.93 | 0.316 |
| D2565-307 | 20.86 | 20.06 | - |
| D2565-309 | 20.17 | 19.37 | - |
| D2565-311 | 16.30 | 15.50 | - |
| D2565-401 | 18.29 | 17.49 | 0.316 |
| D2565-403 | 15.64 | 14.84 | 0.316 |
| D2565-405 | 19.45 | 18.65 | 0.316 |
| D2565-407 | 10.79 | 9.99 | - |
| D2565-409 | 9.34 | 8.54 | - |
| D2565-411 | 13.81 | 13.01 | - |

GENERAL NOTES

- 1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL
(REF DART SPEC. M304TR0.750W0.049)
ENSURE SEAMLESS TUBE IS USED
- 2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. **27409**

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.